

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Water Supply Program, 1800 Washington Blvd, Suite 450, Baltimore, MD 21230 410-537-3729 • 1-800-633-6101 x 3729 • Fax: 410-537-3157

Reporting.leadschoolwater@maryland.gov

COMPLETION OF REMEDIAL ACTION FORM

Lead in Drinking Water-Public and Nonpublic Schools

Within 30 days of completion of the remedial actions taken by the school, notification must be sent to MDE and MSDE using this form. **Return forms to the address listed above.**

:		
Zip Code: 21104	County: Howard	
n Number		
Public School Construction Number (PSC#): 1 3 - 0 8 2		
Charter School ID #:		
hool ID #: 09		
	Building ID #:	
Date of receipt from t	he laboratory: 10/29/2019	
ppb Outlet Name:	<u> </u>	
ocation (e.g. Hallway, Classro	om, etc.): Athletic Trainer Room	
If other specify: wal	I spigot for water coolers	
HD: Hot Drink Machine	NO: Nurse's Office Sink	
HE: Home Economics Room Si		
IM: Ice Machine	TL: Teachers' Lounge Sink	
	n Number I Construction Number (PSC# ol ID #:	

III. REMEDIAL ACTIONS COMPLETED:

Please check the appropriate boxes below that best describes the school's actions taken to remediate the elevated level of lead found in the drinking water samples of this specific outlet. For multiple drinking water outlets with elevated lead levels, complete this form for **each** drinking water outlet. **Attach any additional details about Remedial Actions Completed to this form.**

Date(s) of Remediation: 2/25/2020			
Check all that apply:			
Permanently closed access to outlet (e.g., physically disconnect from water supply system).			
Removed the outlet.			
Installed and maintained a point of use filter at the outlet.			
Repaired the outlet, plumbing, or service line contributing to the elevated level of lead.			
Reconfigured the outlet, plumbing, or service line contributing to the elevated level of lead.			
Replaced the outlet, plumbing, or service line contributing to the elevated level of lead.			
Installed and maintained automatic flushing of outlets after testing confirms that the lead level in the outlet after flushing is not elevated. (Removed statement about automatic flushing not being acceptable for water fountains/coolers)			
Provided bottled water that meets all National Primary Drinking Water regulations; Complete and attach a Bottle water Certification Form.			
Checked grounding wires. Per previous discussions with MDE. The follow up first draw and flush samples along Other (Describe): with the confirmation first draw sample were all below the action level. No corrective action necessary.			
IV. POST-REMEDIATION FOLLOW-UP SAMPLE COLLECTION:			
Laboratory: AMA Laboratory Certification ID #: 262			
Sample Type: First-draw Flushed (only if automated flushing is the means of remediation)			
Follow Up Lead Result for Outlet: 2.2 & 4.5 ppb Date of sample collection: 11/8/2019 & 1/29/2020			
Outlet Returned to Service?: Ves No Date Returned to Service: 2/24/2020			
Name of Person Responsible for Remediation:			
Phone #: Email:			

V. <u>CERTIFICATION</u>:

I certify that (check items completed):

	Remedial measures were performed at each outlet where an elevated level of lead was found.		
	For outlets that were not permanently disconnected or removed from service as means of remediation: After remediation, a follow-up first-draw sample (flushed sample for any outlet for which automated flushing was the means of remediation) was collected from each outlet where an elevated level of lead was found.		
~	Outlets were only put back into service if no elevated levels of lead were found in the follow-up first-draw samples (flushed samples if automated flushing was the means of remediation).		
Jeff Klen	₽	2/24/2020	
Name of De	esignated Responsible Person (Printed)	Date	
	Jeffrey Klenk		
		Environmental Safety Specialist	
	Signature	Title	
410-313-	6699	jeffrey_klenk@hcpss.org	
	Phone Number	Email	