

IEQ SCHOOL DATA BASE

School Name: Folly Quarter Middle

Principal: Scott Conroy

DATE: January 9, 2017

IEQ Team Leader: Michele Doyle-Wetzelberger

IEQ System Leader: Greg Maciulla

10. No condensation or other evidence of humidity on ceilings, walls, doors, etc.	Band Rm; CR 7; Gym	Condensation in windows, frame, on exit door [Order for new window panes: 11/7/16]; Gymnasium mat to blacktop exit wet after rain		DOORS/HARDWARE	11206	11/7/16		
11. Limited use of non-issued HCPSS furniture and appliances	St Srvcs; Related Srvcs; Sci prep; CR 11, 19, 21, 14, Sem 3 PE office ; FACS CR8 and Sem 3	Personal applicances (coffeemakers, refrigerators, microwaves); sofa; deocrative lights and lamps; [Notice sent to staff 1/23/17] Bookcases not fastened to wall	X				1/23/17	
12. No excessive fabric materials, stuffed animals, beanbags, pillows, etc.	Rel Srvs, For Lang., PE office; Art closet	Rugs, stuffed animals, fabric around tables, clutter [Notice sent to staff 1/23/17]	X				1/23/17	
13. No structural or physical gaps around exit doors	CR14, Sci 5, Sci 2	Crack in closet of CR 14, crack in wall of Sci 5; gap around windows frames of Sci 2						
14. No improperly stored materials/chemicals	All CRs	All CRs in need of approved cleaning solutions w/ proper storage [Notice sent to staff 1/23/17]	X	FQMS Custodial			1/23/17	
15. Floor coverings are level and secure (tile, carpets, wood board, etc.)	NA							
16. Barrier mats vacuumed well	NA							
17. Fish tanks are clean and located away from vents/thermostats	NA							
18. Waterproof barriers in place for plants and no standing water	NA							
19. Sinks and fountains drain quickly and work properly including absence of leaks	Health Room; FACS; Sci 2	Dripping, leaking faucet, leaking sinks		PLUMBING	10757	11/1/16	11/2/16	

IEQ SCHOOL DATA BASE

School Name: Folly Quarter Middle

Principal: Scott Conroy

DATE: January 9, 2017

IEQ Team Leader: Michele Doyle-Wetzelberger

IEQ System Leader: Greg Maciulla

44. Landscaping and turf look healthy and disease free

COMMENTS: