

CERTIFICATE OF ANALYSIS

Chain of Custody:	675527	Job Name:	Mariotts Ridge High School	Date Submitted:	12/19/2025	NY ELAP
Client:	Howard County Public School System	Job Location:	12100 Woodford Drive, Mariottsville, 21104	Date Analyzed:	01/13/2026	10920
Address:	10910 Clarksville Pike Ellicott City MD 21042	Job Number:	Not Provided	Report Date:	01/13/2026	
Attention:	Christopher Madden	P.O. Number:	Not Provided	Date Sampled:	12/11/2025 - 12/12/2025	
				Person Submitting:	Chris Madden & John Farmer	

Summary of Drinking Water Analysis for Metals

AMA Sample Number	Client Sample Number	Date/Time	Location	Analysis Type	Sample Analyte	Reporting Limit	Final Result	Comments
675527-1	: MRHS-1 First Draw	12/11/2025 5:51 AM	Faucet, Cold, Yes (= Consumption), Teachers' Lounge/Break Room, See Floor Plan, Sink, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	0.64 ug/L	
675527-2	: MRHS-2 First-Draw	12/11/2025 5:50 AM	Faucet, Cold, Yes (= Consumption), Teachers' Lounge/Break Room, See Floor Plan, Sink, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	0.92 ug/L	
675527-3	: MRHS-3 First-Draw	12/11/2025 5:49 AM	Faucet, Cold, Yes (= Consumption), Teachers' Lounge/Break Room, See Floor Plan, Sink, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	0.77 ug/L	
675527-4	: MRHS-4 First-Draw	12/11/2025 5:48 AM	Bottle Filler/Drinking Fountain Combo Unit - Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-5	: MRHS-4BW First-Draw	12/17/2025 5:59 AM	Bottle Filler/Drinking Fountain Combo Unit - Bottle Filler, Yes (= Consumption), Hallway, See Floor Plan, Bottle Filler, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-6	: MRHS-5 First-Draw	12/12/2025 5:50 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-7	: MRHS-6 First-Draw	12/11/2025 5:55 AM	Faucet, Cold, Yes (= Consumption), Kitchen, See Floor Plan, Sink, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	1.8 ug/L	
675527-8	: MRHS-7 First-Draw	12/11/2025 5:56 AM	Faucet, Cold, Yes (= Consumption), Kitchen, See Floor Plan, Sink, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	0.68 ug/L	
675527-9	: MRHS-8 First-Draw	12/11/2025 5:59 AM	Commercial Kitchen Kettle, Cold (i.e., faucet leading into kettle), Yes (= Consumption), Kitchen, See Floor Plan, Kettle, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	2.4 ug/L	
675527-10	: MRHS-9 First-Draw	12/11/2025 6:00 AM	Faucet, Cold, Yes (= Consumption), Kitchen, See Floor Plan, Sink, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	2.0 ug/L	
675527-11	: MRHS-10 First-Draw	12/11/2025 6:01 AM	Ice Machine (Stand Alone), Yes (= Consumption), Kitchen, See Floor Plan, Ice Maker, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-12	: MRHS-11 First-Draw	12/11/2025 5:47 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	

CERTIFICATE OF ANALYSIS

Chain of Custody:	675527	Job Name:	Mariotts Ridge High School	Date Submitted:	12/19/2025	NY ELAP
Client:	Howard County Public School System	Job Location:	12100 Woodford Drive, Mariottsville, 21104	Date Analyzed:	01/13/2026	10920
Address:	10910 Clarksville Pike Ellicott City MD 21042	Job Number:	Not Provided	Report Date:	01/13/2026	
Attention:	Christopher Madden	P.O. Number:	Not Provided	Date Sampled:	12/11/2025 - 12/12/2025	
				Person Submitting:	Chris Madden & John Farmer	

Summary of Drinking Water Analysis for Metals

AMA Sample Number	Client Sample Number	Date/Time	Location	Analysis Type	Sample Analyte	Reporting Limit	Final Result	Comments
675527-13	: MRHS-12 First-Draw	12/11/2025 5:45 AM	Faucet, Cold, Yes (= Consumption), Teachers' Lounge/Break Room, See Floor Plan, Sink, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-14	: MRHS-13 First-Draw	12/11/2025 5:01 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	0.61 ug/L	
675527-15	: MRHS-14 First-Draw	12/11/2025 5:02 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-16	: MRHS-15 First-Draw	12/11/2025 5:03 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-17	: MRHS-16 First-Draw	12/11/2025 5:04 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Weight/Training/Fitness Room, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-18	: MRHS-17 First-Draw	12/11/2025 5:07 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Classroom, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-19	: MRHS-18 First-Draw	12/11/2025 5:08 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Classroom, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-20	: MRHS-19 First-Draw	12/11/2025 5:10 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	0.50 ug/L	
675527-21	: MRHS-20 First-Draw	12/12/2025 5:47 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-22	: MRHS-21 First-Draw	12/11/2025 5:12 AM	Faucet, Cold, Yes (= Consumption), Concessions, See Floor Plan, Sink, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	0.87 ug/L	
675527-23	: MRHS-22 First-Draw	12/11/2025 5:14 AM	Bottle Filler/Drinking Fountain Combo Unit - Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	

CERTIFICATE OF ANALYSIS

Chain of Custody:	675527	Job Name:	Mariotts Ridge High School	Date Submitted:	12/19/2025	NY ELAP
Client:	Howard County Public School System	Job Location:	12100 Woodford Drive, Marriottsville, 21104	Date Analyzed:	01/13/2026	10920
Address:	10910 Clarksville Pike Ellicott City MD 21042	Job Number:	Not Provided	Report Date:	01/13/2026	
Attention:	Christopher Madden	P.O. Number:	Not Provided	Date Sampled:	12/11/2025 - 12/12/2025	
				Person Submitting:	Chris Madden & John Farmer	

Summary of Drinking Water Analysis for Metals

AMA Sample Number	Client Sample Number	Date/Time	Location	Analysis Type	Sample Analyte	Reporting Limit	Final Result	Comments
675527-24	: MRHS-22BW First-Draw	12/12/2025 5:46 AM	Bottle Filler/Drinking Fountain Combo Unit - Bottle Filler, Yes (= Consumption), Hallway, See Floor Plan, Bottle Filler, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-25	: MRHS-23 First-Draw	12/11/2025 5:15 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Locker Room, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	0.60 ug/L	
675527-26	: MRHS-24 First-Draw	12/11/2025 5:16 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-27	: MRHS-25 First-Draw	12/11/2025 5:17 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Locker Room, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-28	: MRHS-26 First-Draw	12/11/2025 5:18 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-29	: MRHS-27 First-Draw	12/11/2025 5:20 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Weight/Training/Fitness Room, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-30	: MRHS-28 First-Draw	12/11/2025 5:22 AM	Faucet, Cold, Yes (= Consumption), Teachers' Lounge/Break Room, See Floor Plan, Sink, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	0.62 ug/L	
675527-31	: MRHS-29 First-Draw	12/11/2025 5:28 AM	Ice Machine (Stand Alone), Yes (= Consumption), Weight/Training/Fitness Room, See Floor Plan, Ice Maker, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	0.65 ug/L	
675527-32	: MRHS-30 First-Draw	12/11/2025 5:26 AM	Spigot (with threadings for hose connection), Yes (= Consumption), Weight/Training/Fitness Room, See Floor Plan, Spigot, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-33	: MRHS-33 First-Draw	12/11/2025 5:28 AM	Faucet, Cold, Yes (= Consumption), Classroom (Home Economics), See Floor Plan, Sink, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	0.89 ug/L	
675527-34	: MRHS-34 First-Draw	12/11/2025 5:29 AM	Faucet, Cold, Yes (= Consumption), Classroom (Home Economics), See Floor Plan, Sink, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	

CERTIFICATE OF ANALYSIS

Chain of Custody:	675527	Job Name:	Mariotts Ridge High School	Date Submitted:	12/19/2025	NY ELAP
Client:	Howard County Public School System	Job Location:	12100 Woodford Drive, Marriottsville, 21104	Date Analyzed:	01/13/2026	10920
Address:	10910 Clarksville Pike Ellicott City MD 21042	Job Number:	Not Provided	Report Date:	01/13/2026	
Attention:	Christopher Madden	P.O. Number:	Not Provided	Date Sampled:	12/11/2025 - 12/12/2025	
				Person Submitting:	Chris Madden & John Farmer	

Summary of Drinking Water Analysis for Metals

AMA Sample Number	Client Sample Number	Date/Time	Location	Analysis Type	Sample Analyte	Reporting Limit	Final Result	Comments
675527-35	: MRHS-35 First-Draw	12/11/2025 5:30 AM	Faucet, Cold, Yes (= Consumption), Classroom (Home Economics), See Floor Plan, Sink, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-36	: MRHS-36 First-Draw	12/11/2025 5:31 AM	Faucet, Cold, Yes (= Consumption), Classroom (Home Economics), See Floor Plan, Sink, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-37	: MRHS-37 First-Draw	12/11/2025 5:32 AM	Faucet, Cold, Yes (= Consumption), Classroom (Home Economics), See Floor Plan, Sink, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-38	: MRHS-38 First-Draw	12/11/2025 5:33 AM	Faucet, Cold, Yes (= Consumption), Classroom (Home Economics), See Floor Plan, Sink, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-39	: MRHS-39 First-Draw	12/11/2025 5:34 AM	Faucet, Cold, Yes (= Consumption), Classroom (Home Economics), See Floor Plan, Sink, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-40	: MRHS-42 First-Draw	12/11/2025 5:44 AM	Faucet, Cold, Yes (= Consumption), Nurse's Office/Health Room, See Floor Plan, Sink, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	0.72 ug/L	
675527-41	: MRHS-43 First-Draw	12/12/2025 5:44 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-42	: MRHS-44 First-Draw	12/11/2025 5:44 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 1st Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-43	: MRHS-48 First-Draw	12/11/2025 5:31 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 2nd Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-44	: MRHS-49 First-Draw	12/11/2025 5:32 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 2nd Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-45	: MRHS-51 First-Draw	12/11/2025 5:33 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), , See Floor Plan, Fountain, Main Bldg, 2nd Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-46	: MRHS-52 First-Draw	12/11/2025 5:36 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 2nd Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	

CERTIFICATE OF ANALYSIS

Chain of Custody:	675527	Job Name:	Mariotts Ridge High School	Date Submitted:	12/19/2025	NY ELAP
Client:	Howard County Public School System	Job Location:	12100 Woodford Drive, Marriottsville, 21104	Date Analyzed:	01/13/2026	10920
Address:	10910 Clarksville Pike Ellicott City MD 21042	Job Number:	Not Provided	Report Date:	01/13/2026	
Attention:	Christopher Madden	P.O. Number:	Not Provided	Date Sampled:	12/11/2025 - 12/12/2025	
				Person Submitting:	Chris Madden & John Farmer	

Summary of Drinking Water Analysis for Metals

AMA Sample Number	Client Sample Number	Date/Time	Location	Analysis Type	Sample Analyte	Reporting Limit	Final Result	Comments
675527-47	: MRHS-54 First-Draw	12/11/2025 5:24 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), , See Floor Plan, Fountain, Main Bldg, 2nd Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-48	: MRHS-55 First-Draw	12/11/2025 5:26 AM	Faucet, Cold, Yes (= Consumption), Teachers' Lounge/Break Room, See Floor Plan, Sink, Main Bldg, 2nd Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-49	: MRHS-57 First-Draw	12/11/2025 5:29 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), , See Floor Plan, Fountain, Main Bldg, 2nd Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-50	: MRHS-58 First-Draw	12/11/2025 5:39 AM	Bottle Filler/Drinking Fountain Combo Unit - Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 2nd Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-51	: MRHS-58BW First-Draw	12/17/2025 5:56 AM	Bottle Filler/Drinking Fountain Combo Unit - Bottle Filler, Yes (= Consumption), Hallway, See Floor Plan, Bottle Filler, Main Bldg, 2nd Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-52	: MRHS-63 First-Draw	12/11/2025 5:09 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), , See Floor Plan, Fountain, Main Bldg, 3rd Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-53	: MRHS-64 First-Draw	12/11/2025 5:11 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), , See Floor Plan, Fountain, Main Bldg, 3rd Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-54	: MRHS-64BW First-Draw	12/17/2025 5:45 AM	Bottle Filler/Drinking Fountain Combo Unit - Bottle Filler, Yes (= Consumption), , See Floor Plan, Bottle Filler, Main Bldg, 3rd Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-55	: MRHS-65 First-Draw	12/12/2025 5:34 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 3rd Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-56	: MRHS-67 First-Draw	12/11/2025 5:18 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), , See Floor Plan, Fountain, Main Bldg, 3rd Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	
675527-57	: MRHS-68 First-Draw	12/11/2025 5:16 AM	Faucet, Cold, Yes (= Consumption), , See Floor Plan, Sink, Main Bldg, 3rd Floor	ICP	Lead	0.5 ug/L	0.73 ug/L	
675527-58	: MRHS-71 First-Draw	12/12/2025 5:30 AM	Drinking Water Fountain - Cooler/Chiller Style (Refrigerated), Yes (= Consumption), Hallway, See Floor Plan, Fountain, Main Bldg, 3rd Floor	ICP	Lead	0.5 ug/L	<0.5 ug/L	

CERTIFICATE OF ANALYSIS

Chain of Custody:	675527	Job Name:	Mariotts Ridge High School	Date Submitted:	12/19/2025	NY ELAP
Client:	Howard County Public School System	Job Location:	12100 Woodford Drive, Mariottsville, 21104	Date Analyzed:	01/13/2026	10920
Address:	10910 Clarksville Pike Ellicott City MD 21042	Job Number:	Not Provided	Report Date:	01/13/2026	
Attention:	Christopher Madden	P.O. Number:	Not Provided	Date Sampled:	12/11/2025 - 12/12/2025	
				Person Submitting:	Chris Madden & John Farmer	

Summary of Drinking Water Analysis for Metals

AMA Sample Number	Client Sample Number	Date/Time	Location	Analysis Type	Sample Analyte	Reporting Limit	Final Result	Comments
675527-59	: MRHS-6 Flush	12/11/2025 6:05 AM	Faucet, Cold, Yes (= Consumption), Kitchen, See Floor Plan, Sink, Main Bldg, 1st Floor					Void: Sample not analyzed associated 1st draw <5.5ppb
675527-60	: MRHS-7 Flush	12/11/2025 6:06 AM	Faucet, Cold, Yes (= Consumption), Kitchen, See Floor Plan, Sink, Main Bldg, 1st Floor					Void: Sample not analyzed associated 1st draw <5.5ppb
675527-61	: MRHS-8 Flush	12/11/2025 6:05 AM	Faucet, Cold, Yes (= Consumption), Kitchen, See Floor Plan, Sink, Main Bldg, 1st Floor					Void: Sample not analyzed associated 1st draw <5.5ppb
675527-62	: MRHS-9 Flush	12/11/2025 6:08 AM	Faucet, Cold, Yes (= Consumption), Kitchen, See Floor Plan, Sink, Main Bldg, 1st Floor					Void: Sample not analyzed associated 1st draw <5.5ppb

Analysis Method: ICP: EPA 200.8 (Rev. 5.4)

Preparation Method: None

 mg/L = Parts Per Million (ppm), N/A = Not Applicable, μ g/L = Parts Per Billion, N/P = Not Provided

Analyst(s): JP Littleton, Suphin Chinnapad

 Sample Collector: Chris Madden & John Farmer
 Certification:

All results are to be considered preliminary and subject to change unless signed by the Technical Director or Deputy.



 Technical Director George Land

This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public, and these Laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from us. Sample types, locations, and collection protocols are based upon the information provided by the persons submitting them and, unless collected by personnel of these Laboratories, we expressly disclaim any knowledge and liability for the accuracy and completeness of this information. The results apply only to the sample(s) tested as received. Residual sample material will be discarded in accordance with the appropriate regulatory guidelines, unless otherwise requested by the client. This report must not be used to claim, and does not imply product certification, approval, or endorsement by NY ELAP, AIHA-LAP, or any agency of the Federal Government. All rights reserved. AMA Analytical Services, Inc.