



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

KCI Technologies

Project Name: Ducketts Lane Elementary School

Tehsin Aurangabadwala
936 Ridgebrook Road
Sparks, MD 21152

Project / PO Number: N/A
Received: 04/01/2019
Reported: 04/05/2019

Analytical Testing Parameters

Table with 2 columns: Parameter (Client Sample ID, Sample Matrix, Lab Sample ID) and Value (DLES 1F CC/B C, Drinking Water, 19D0393-01, etc.)

Metals, Total by EPA 200 Series Methods

Method: EPA 200.2/EPA 200.8

Table with 9 columns: Lead, Result (<1.0), Limit(s) (20.0), RL (1.0), Units (ppb), Note, Prepared (04/03/19 1405), Analyzed (04/04/19 1457), Analyst (GHW)

Table with 2 columns: Parameter (Client Sample ID, Sample Matrix, Lab Sample ID) and Value (DLES 2F CC/B C, Drinking Water, 19D0393-02, etc.)

Metals, Total by EPA 200 Series Methods

Method: EPA 200.2/EPA 200.8

Table with 9 columns: Lead, Result (<1.0), Limit(s) (20.0), RL (1.0), Units (ppb), Note, Prepared (04/03/19 1405), Analyzed (04/04/19 1458), Analyst (GHW)

Table with 2 columns: Parameter (Client Sample ID, Sample Matrix, Lab Sample ID) and Value (DLES 3F CC/B C, Drinking Water, 19D0393-03, etc.)

Metals, Total by EPA 200 Series Methods

Method: EPA 200.2/EPA 200.8

Table with 9 columns: Lead, Result (<1.0), Limit(s) (20.0), RL (1.0), Units (ppb), Note, Prepared (04/03/19 1405), Analyzed (04/04/19 1500), Analyst (GHW)

Table with 2 columns: Parameter (Client Sample ID, Sample Matrix, Lab Sample ID) and Value (DLES 4F CC/B C, Drinking Water, 19D0393-04, etc.)

Metals, Total by EPA 200 Series Methods

Method: EPA 200.2/EPA 200.8

Table with 9 columns: Lead, Result (<1.0), Limit(s) (20.0), RL (1.0), Units (ppb), Note, Prepared (04/03/19 1405), Analyzed (04/04/19 1501), Analyst (GHW)



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 5F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-05	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1505	GHW

Client Sample ID: DLES 6F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-06	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1506	GHW

Client Sample ID: DLES 10F DF/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-07	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1508	GHW

Client Sample ID: DLES 11 DF/C C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-08	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1509	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 12 DF/C C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-09	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1510	GHW

Client Sample ID: DLES 13 DF/C C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-10	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1514	GHW

Client Sample ID: DLES 14 DF/C C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-11	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1516	GHW

Client Sample ID: DLES 15F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-12	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1517	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 16F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-13	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1521	GHW

Client Sample ID: DLES 17F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-14	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1522	GHW

Client Sample ID: DLES 18F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-15	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1524	GHW

Client Sample ID: DLES 19F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-16	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1525	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 20F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-17	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1526	GHW

Client Sample ID: DLES 21F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-18	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1528	GHW

Client Sample ID: DLES 22F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-19	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1532	GHW

Client Sample ID: DLES 23F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-20	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1538	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 24F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-21	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1540	GHW

Client Sample ID: DLES 25F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-22	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1541	GHW

Client Sample ID: DLES 26F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-23	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1543	GHW

Client Sample ID: DLES 27F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-24	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1544	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 28F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-25	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1545	GHW

Client Sample ID: DLES 29F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-26	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1547	GHW

Client Sample ID: DLES 30F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-27	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1548	GHW

Client Sample ID: DLES 31F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-28	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1549	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 32F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-29	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1553	GHW

Client Sample ID: DLES 33F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-30	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1557	GHW

Client Sample ID: DLES 34F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-31	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1559	GHW

Client Sample ID: DLES 35F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-32	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1600	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 36F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-33	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1601	GHW

Client Sample ID: DLES 37F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-34	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1603	GHW

Client Sample ID: DLES 38 DF/C C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-35	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1604	GHW

Client Sample ID: DLES 39 DF/C C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-36	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1606	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 42F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-37	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1610	GHW

Client Sample ID: DLES 43F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-38	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1611	GHW

Client Sample ID: DLES 44F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-39	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1615	GHW

Client Sample ID: DLES 45F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-40	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1619	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 46F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-41	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1621	GHW

Client Sample ID: DLES 47F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-42	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1622	GHW

Client Sample ID: DLES 48F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-43	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1626	GHW

Client Sample ID: DLES 49F CC/B C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/21/2019 5:15
Lab Sample ID: 19D0393-44	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1627	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 1S CR C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-45	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1629	GHW

Client Sample ID: DLES 2S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-46	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1630	GHW

Client Sample ID: DLES 3S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-47	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1631	GHW

Client Sample ID: DLES 4S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-48	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1633	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 5S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-49	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1642	GHW

Client Sample ID: DLES 6S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-50	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1646	GHW

Client Sample ID: DLES 7 TL C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-51	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1650	GHW

Client Sample ID: DLES 8 OT.2 C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-52	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1652	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 9 NO C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-53	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	1.7	20.0	1.0	ppb		04/03/19 1405	04/04/19 1653	GHW

Client Sample ID: DLES 10S NO C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-54	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1654	GHW

Client Sample ID: DLES 15S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-55	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1656	GHW

Client Sample ID: DLES 16S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-56	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1657	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 17S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-57	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1658	GHW

Client Sample ID: DLES 18S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-58	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/03/19 1405	04/04/19 1700	GHW

Client Sample ID: DLES 19S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-59	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1707	GHW

Client Sample ID: DLES 20S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-60	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1711	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 21S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-61	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1712	GHW

Client Sample ID: DLES 22S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-62	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1713	GHW

Client Sample ID: DLES 23S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-63	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1715	GHW

Client Sample ID: DLES 24S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-64	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1716	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 25S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-65	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1722	GHW

Client Sample ID: DLES 26S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-66	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1723	GHW

Client Sample ID: DLES 27S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-67	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1724	GHW

Client Sample ID: DLES 28S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-68	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1726	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 29S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-69	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1727	GHW

Client Sample ID: DLES 30S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-70	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1731	GHW

Client Sample ID: DLES 31S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-71	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1733	GHW

Client Sample ID: DLES 32S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-72	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1734	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 33S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-73	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1739	GHW

Client Sample ID: DLES 34S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-74	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1740	GHW

Client Sample ID: DLES 35S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-75	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1742	GHW

Client Sample ID: DLES 36S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-76	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1743	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 37S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-77	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1745	GHW

Client Sample ID: DLES 40 CR C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-78	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1746	GHW

Client Sample ID: DLES 41 OT.7 C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-79	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1750	GHW

Client Sample ID: DLES 42S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-80	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1758	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 43S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-81	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1759	GHW

Client Sample ID: DLES 44S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-82	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1800	GHW

Client Sample ID: DLES 45S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-83	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1802	GHW

Client Sample ID: DLES 46S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-84	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----------	----	-------	------	----------	----------	---------

Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1803	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 47S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-85	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1804	GHW

Client Sample ID: DLES 48S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-86	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1806	GHW

Client Sample ID: DLES 49S CC/S C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-87	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1807	GHW

Client Sample ID: DLES 50 IM C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-88	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1808	GHW



Microbac Laboratories, Inc. - Baltimore

CERTIFICATE OF ANALYSIS

19D0393

Client Sample ID: DLES 51 KS C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-89	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1814	GHW

Client Sample ID: DLES 52 CR C	Collected By: Jeffrey Klenk
Sample Matrix: Drinking Water	Collection Date: 03/22/2019 5:05
Lab Sample ID: 19D0393-90	

Metals, Total by EPA 200 Series Methods	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.2/EPA 200.8								
Lead	<1.0	20.0	1.0	ppb		04/04/19 1318	04/04/19 1818	GHW

Results in **bold** have exceeded a limit defined for this project. Limits are provided for reference but as regulatory limits change frequently, Microbac Laboratories, Inc. advises the recipient of this report to confirm such limits and units of concentration with the appropriate Federal, state or local authorities before acting on the data.

Definitions

RL: Reporting Limit

Report Comments

The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included.

Reviewed and Approved By:

Megan Greenfield
 Customer Relationship Coordinator
 Reported: 04/05/2019 17:00